

Annexure C

PROFORMA FOR SAFE DRINKING WATER AND SANITARY CONDITION CERTIFICATE

No.276

Dated: 13/06/2025

It is certified that an inspection team headed by Mr. Girish Jaguri chemist (Name of Officers with designation) from DISTRICT WATER QUALITY TESTING MONITORING LABORATORY, UTTAKHAND JAL SANSTHAN, HARIDWAR Inspected the G.D. GOENKA PUBLIC SCHOOL, VILLAGE BELDA, ROORKEE HARIDWAR (Name & Address of the school) on 11/06/2025 (date of inspection) and on the basis of Water Test Report (Attached) bearing no 276/UJS/DLWQTML/2025-26 dated 13/06/2025 of DISTRICT WATER QUALITY TESTING MONITORING LABORATORY, UTTAKHAND JAL SANSTHAN, HARIDWAR (Lab) certified that the G.D.GOENKA PUBLIC SCHOOL, VILLAGE BELDA, ROORKEE HARIDWAR (Name of school) has safe drinking water facilities for the students and members of staff of the institution. School is also maintains the hygienic sanitation condition in the school building & the campus as per norms prescribed by the Central/ State/ U.T. Govt.

This certificate is valid till 12.06.2026

Signature with Seal:

Name

Designation

Name & Address of the Office / Department: UJS HARIDWAR

District Water Quality Testing Monitoring
Laboratory,
Uttarakhand Jal Sansthan, Haridwar

MANAGER

GD GOENKA PUBLIC SCHOOL, ROORKEE

Mali R

PRINCIPAL

GD GOENKA PUBLIC SCHOOL, ROORKEE

Note: The certificate is to be issued by authorized officer/PHED Lab/local bodies

कार्यालय मुख्य अग्निशमन अधिकारी जनपद हरिद्वार।

ईमेल-efohdr.ukfs@gmail.com
पत्रांक: न-0/सीएफओ-आर/2025

फोन नं०-01334-265700
दिनांक: मई 07, 2025।

स्वामी/प्रबन्धक/प्रधानाचार्य,
(जीडी गोमनका पब्लिक स्कूल),
श्री यतिन तनेजा/ श्री गितिन तनेजा, पुत्र श्री गुलशन कुमार,
श्रीगती श्रेया तनेजा पत्नी श्री यतिन तनेजा,
श्री गुलशन कुमार पुत्र श्री गिरधारी लाल तनेजा,
श्री योगेश अरोड़ा/श्री मनीम अरोड़ा,
पुत्र श्री भगवानदास अरोड़ा
खशारा नं०-010, 000, 000, 000
ग्राम बेलडा मुस्तकम परगना व तहसील रुड़की,
जनपद हरिद्वार।

विषय: अग्निशमन सुरक्षा सम्बन्धी अनापत्ति प्रमाण पत्र के Pre-Operational के सम्बन्ध में।

कृपया आपके आवेदन यूनिट नम्बर:-84062216 दिनांक: 30.04.2025 जो कि Uttarakhand Fire and Emergency Services के वेब पेज पर प्राप्त हुआ है, के अनुसार अग्निशमन सुरक्षा व्यवस्था का निरीक्षण प्रभारी अग्निशमन अधिकारी रुड़की द्वारा किया गया, प्रभारी अग्निशमन अधिकारी रुड़की की निरीक्षण आख्या दिनांक: 06.05.2025 के अनुसार निरीक्षण के दौरान अग्निशमन सुरक्षा व्यवस्था फायर एक्स्टिंग्यूशर, होजरील, एमसीपी, टैरिस टैंक, टैरिस पम्प, आन्तरिक व यार्ड फायर हाईड्रेन्ट्स इत्यादि का कार्यशील दशा में होना अंकित किया है।

उपरोक्त भवन/संस्थान स्कूल है। भवन में कुल G+03 तल निर्मित है। भवन/संस्थान के प्लॉट का क्षेत्रफल 8205.58 वर्ग मी० है तथा उक्त भवन का क्षेत्रफल (Covered Area) 4979.40 वर्ग मी० है भवन/संस्थान की ऊँचाई 14.60 मीटर है। भवन/संस्थान में वेसमेन्ट नहीं है। सेंटबैंक पर्याप्त है।

अतः उत्तराखण्ड शासन, गृह अनुभाग-03 की अधिसूचना संख्या-342/XX-3/2021-2(39)/2006 देहरादून दिनांक: 29 नवम्बर, 2021 के अनुपालन में दिनांक: 07 मई 2025 से 06 मई 2028(03वर्ष) तक के लिये प्राथमिक अग्नि उपकरणों सम्बन्धी कार्यशीलता प्रमाण-पत्र प्रदान किया जाता है कि निम्न शर्तों का पालन किया जाये।


1. सभी बाहर निकलने या बचाव के रास्ते तथा सीढ़ियां प्रत्येक दशा में अवरोध मुक्त रखी जाये।
2. आपके संस्थान के सभी कर्मचारियों को उपलब्ध अग्निशमन यन्त्रों का तथा सुरक्षित निष्क्रमण (Evacuation) प्रक्रिया का ज्ञान होना आवश्यक होगा।
3. सभी अग्निशमन यन्त्रों को कार्यशील दशा में रखने की जिम्मेदारी प्रबन्धन की होगी। अग्निशमन यन्त्रों की स्थापना का अर्थ यह नहीं लगाया जाए कि अग्निकाण्ड की घटना नहीं हो सकती है, अतः प्रबन्धन को अग्निनिरोधक उपाय सदैव करते रहना चाहिए।
4. भवन/संस्थान में विद्युत यन्त्रों की स्थापना, वेंटीलेशन, स्ट्रक्चर, स्टेबिलिटी, सेंट बैंक एरिया व निर्माण, Land Use Change में बदलाव आदि का सत्यापन सम्बन्धित अधिकारी से कराया जाए।
5. इस अनापत्ति प्रमाण पत्र का उपयोग अवैध निर्माण को नियमित करने के लिए नहीं किया जा सकता।
6. संस्थान की अग्निशमन व्यवस्था के कार्यशील एवं एन.बी.सी. 2016 के मानकानुसार अग्निशमन व्यवस्था पूर्ण होने का स्व-घोषण प्रमाण पत्र/Audit Report प्रति छः माह में प्रस्तुत/अपलोड करना अनिवार्य है।
7. यदि उपरोक्त अग्निसुरक्षा अनापत्ति प्रमाण पत्र से सम्बन्धित भवन या अधिभोग के आकार, प्रकृति, प्रयोजन या स्थान के किसी प्रकार का कोई परिवर्तन किया जाता है, तो अग्नि सुरक्षा प्रमाण पत्र नये सिरे से लिया जाना अनिवार्य होगा।
8. संस्थान में फायर एण्ड लाईफ सेपटी के दृष्टिगत फायर पम्प हाऊस की इलैक्ट्रिक सप्लाय के लिए सोपरेट फिडर का प्रयोग करना अनिवार्य है यदि अग्निकाण्ड की घटना घटित होने पर पम्प हाऊस को इलैक्ट्रिक की सप्लाय नहीं मिलती है तो सम्पूर्ण दायित्व स्वामी/प्रबन्धक का होगा।

PRINCIPAL *Malik*
GD GOENKA PUBLIC SCHOOL, ROORKEE


MANAGER
GD GOENKA PUBLIC SCHOOL, ROORKEE
क्रमशः-2-

(2)

9. संस्थान में प्रत्येक 03 माह में मॉक ड्रिल करायी जाये जिसकी सूचना इस कार्यालय को प्रेषित की जानी आवश्यक है।
10. प्रत्येक 03 माह में संस्थान में उपलब्ध अग्निशमन व्यवस्था के मेन्टीनेंस की स्थिति से इस कार्यालय को अवगत कराना आवश्यक है।
11. संस्थान के मानचित्र में प्रदर्शित सेट बैक में स्थाई व अस्थाई निर्माण कर अग्निशमन एवं रेस्क्यू कार्य बाधित किये जाने एवं सेपटी मानकों में परिवर्तन किये जाने पर प्रदत्त अनापत्ति प्रमाण पत्र स्वतः निरस्त माना जायेगा।
12. संस्थान में अग्निशमन सुरक्षा व्यवस्था निर्धारित मानकों/एन.बी.सी 2016 के भाग 04 की गाईड लाईन के अनुसार सदैव अद्यतन (Update) स्थिति में रखा जाना जीव रक्षा एवं राष्ट्रीय सम्पत्ति की सुरक्षा के हित में आवश्यक है।
13. आकस्मिक निरीक्षण के दौरान सुझाव के अनुरूप व्यवस्था नहीं पायी जाती है, यदि किसी प्रकार की लापरवाही/तकनीकी खराबी के कारण अग्नि दुर्घटना के समय अग्निशमन उपकरण कार्य नहीं करते हैं तो पूर्ण उत्तरदायित्व स्वामी/प्रबन्धक का होगा तथा यह प्रदत्त प्रमाण पत्र स्वतः ही निरस्त माना जायेगा।


(वी०बी० यादव)
मुख्य अग्निशमन अधिकारी
देहरादून/हरिद्वार।

प्रतिलिपि: प्रभारी अग्निशमन अधिकारी रूड़की को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।



PRINCIPAL

GD GOENKA PUBLIC SCHOOL, ROORKEE



MANAGER

GD GOENKA PUBLIC SCHOOL, ROORKEE



Department of Elementary Education
Govt. of Uttarakhand



APPENDIX-TWO
FORM-2(a)

SEE RULE 17(A) OF THE RIGHT OF CHILDREN TO FREE AND COMPULSORY EDUCATION
(AMENDMENT) RULES, 2013

Email : deo.haridwar.dir@gmail.com

Phone Number : 01334 239159

Fax Number : 01334 239159

OFFICE OF CHIEF EDUCATION OFFICER Haridwar Uttarakhand
Letter No : RTE- New / 6878/ 2024-25 Dt- 10
March 2025 School Code- 1431

Dated : 10-03-2025

To:

The Manager,
G. D. Goenka Public School, Roorkee, Haridwar, opp. to Montfort school, Haridwar Road Belda
Roorkee
Haridwar, Roorkee, ROORKEE, Pin-Code: 247667

Sub: Regarding issue of compliance certificate of prescribed norms and standard of the schedule of RTE Act under Rule 17(A) of the Right of Children to Free and Compulsory Education (Amendment) Rules, 2013 for the purpose of section- 19(2) of Right of Children to Free and Compulsory Education Act,2009.

Dear Sir/Madam,

With reference to your school's declaration form received on dated 10-03-2025 I Convey the compliance certificate for prescribed norms and standards of schedule of the Act under SECTION-19(2) of the Act to your school G. D. Goenka Public School, Roorkee, Haridwar, opp. to Montfort school, Haridwar Road Belda Roorkee, Haridwar, Roorkee, Pin-Code: 247667. The registration/recognition number of your school is RTE113817 in District Haridwar. This registration/recognition is for the period from 10-03-2025 to 10-03-2030 class Pre- Primary to Class VIII in English medium. if prescribed norms and standards of schedule of the Act are violated in future, then action shall be taken for the withdrawal of recognition/no objection certificate according to rule-18 of Uttarakhand Right to Education rules,2011.

Mali R

PRINCIPAL
GD GOENKA PUBLIC SCHOOL, ROORKEE

Mali R
MANAGER

GD GOENKA PUBLIC SCHOOL, ROORKEE

Your's faithfully,
Chief Education Officer
District Haridwar
Uttarakhand

Annexure D

BUILDING SAFETY CERTIFICATE

No. _____

Dated: _____

It is certified that the existing building **G.D Goenka Public School , Haridwar road, opp. Montford School, Belda Roorkee District Haridwar** at Khasra No. 906, 908, 909 ,_Village- BELDA MUSTHAKAM, PRAGANA TEHSIL ROORKEE, District- HARIDWAR (UK) is having block(s)/Floor(s) as details below:

Details of Block(s) in school	Block (1)	Block (2)	Block (3)	Block (4)	Block (5)	Block (6)
No. of Floor(s) in the Block	G + 2					

The building is owned/occupied by **SMT. SUSHMA RANI-TANEJA MEMORIAL TRUST , ROORKEE , HARIDWAR (U.K)** have complied with the Building safety requirements in accordance with National Building code Rules, and verified by the officers concerned of Public Work Department (Name of Department/Govt.) on 09/6/2025 (date of inspection) in the presence of **Gulshan Kumar (Secretary) Village- BELDA MUSTHAKAM, PRAGANA TEHSIL ROORKEE, District- HARIDWAR (UK)** (name and addresses of the Managar/Secretary or his representative) and that the building/premise is fit for occupancy for running school with the effect from 09/6/2025 for a period of 5 year in accordance with rule and subject to compliance of the specific conditions as appended.

1. _____
2. _____
3. _____
4. _____

Issued on 09/6/2025 at Roorkee by _____

* Strike out whichever is not applicable. In case of block is more than six use separate sheets.

Malik
PRINCIPAL
GD GOENKA PUBLIC SCHOOL, ROORKEE

Signature with Seal: _____
Name: Chetna Purohit
Designation: Assistant Engineer
Name & Address of Department/Office: C.D. P.W.D Roorkee

MANAGER
GD GOENKA PUBLIC SCHOOL, ROORKEE

CERTIFICATE OF LAND

File No.

Date:

Certified that the land measuring-0.8100 Hct.(8100 Sq.Meter) is owned by the 1. Smt. Shreya Taneja W/o Sh. Yatln Taneja 2. Gulshan Kumar S/o Late Sh. Girdhari Lal Taneja 3. Nitln Taneja S/o Gulshan Kumar and 4. Dhanish Arora & Manish Arora S/o Bhagwan Das Arora, R/o Roorkee, Haridwar (UK) by way of Registered Sale Deed (In case of allotment of land, if it is not perpetual, periodcity of allotment to be mentioned from in terms of -forever.)

It is further certified that owner of the land has leased the said land to- Smt. Sushma Rani Taneja Memorial Trust, Roorkee, Haridwar (UK) (Name of the school/Society/Trust/Company under section 8 of companies Act, 2013 fully described in the schedule mentioned hereinafter with the following details for a period of 29 years 11 months 15 Days from- 15.05.2024 to 30.04.2054.

SL	Particulars	Details
1.	Plot No. (s)/Survey No. (s)/Khasra No. (s)/Khata No.(s)/Khatauni No.(s)	Khasra No. 908 (3070 Sq. Mtr.) , 906(4431 Sq. Mtr) , 909 (599 Sq. Mtr), Total Area - 0.8100 Hct.(8100 Sq.Meter)
2.	Name of street/village, Sub Division, District and State	Village- Belda Mustkham, Tehsil - Roorkee, District- Haridwar (U.K.) Pin Code - 247667

It is certified that the said entire land comprise of a single contiguous plot of land. It is further certified that G.D. GOENKA PUBLIC SCHOOL, Opp. Montfort School, Haridwar Road, Roorkee, District Haridwar (U.K.) (Name of the School with name of street, village, sub-division and district) run by name of Smt. Sushma Rani Taneja Memorial Trust, Roorkee, Haridwar (U.K.) (Society / Trust / Company under Section 8 of companies Act, 2013) is located on the said plot of land.

THE SCHEDULED OF LAND ABOVE REFERRED TO

All that piece and parcel of land measuring (8100 Sq.Meter) (area of land in square meters) situated in Khasra No. 906, 908, 909 at Village- Belda, Tehsil-Roorkee, District- Haridwar (U.K.) and bounded as follows:

North : Land of Khasra No. 906
 East : Road 12 Mtr. Wide & Road 6 M Wide
 West : Land of Khasra No. 907 & Common Road
 South : Others Land & Land of Khasra No. 913, 907

DM/ADM/SDM/TEHSILDAR/NAIB TEHSILDAR/RESISTRAR/SUB RESISTAR/EQUIVALENT
 LAND AUTHORITY

रिजिस्ट्रार / सहायक रिजिस्ट्रार / सहायक
 कृ० जाँच कर आख्या / आवश्यक
 कार्यवाही से अवगत करायें।

(Stamp and Signature of the land authority)

Name of officer

Name of District

Malik

PRINCIPAL

MANAGER

GD GOENKA PUBLIC SCHOOL, ROORKEE

GD GOENKA PUBLIC SCHOOL, ROORKEE

तहसीलदार रुड़की।

महोदय,

संलग्न पत्रावली में श्रीमती सुपमा रानी तनेजा मेमोरियल ट्रस्ट रुड़की-हरिद्वार के द्वारा ग्राम बेलड़ा मु० तहसील रुड़की में स्थित खसरा न० 908 कुल रकबई 0.3070 है ख० न० 906 कुल रकबई 0.5340 है० में से रकबई 0.4431 है० व ख० न० 909 कुल रकबई 0.086 है० में से रकबई 0.0599 है० कुल रकबा 0.8100 है० अर्थात् 8100 वर्ग मीटर भूमि को G-D- GOENKA PUBLIC School, opp- Montfort School- Haridwar Road, Roorkee run by smt. Sushma Rani Taneja Memorial Trust, Roorkee, Haridwar को lease deed (किराया नामा) को स्पष्ट स्थिति करने के सम्बंध में दिया गया है, आख्या निम्न प्रकार है:-

उपरोक्त विषयक के सम्बंध में मेरे द्वारा राजस्व अभिलेखों का अवलोकन किया गया। अवलोकन में पाया गया कि राजस्व अभि० में ग्राम बेलड़ा मु० स्थित ख० न० 908, रकबई 0.3070 है० भूमि नितिन तनेजा पुत्र गुलशन कुमार निवासी सैनिक कालोनी रुड़की व हिमांशू गोयल पुत्र रामगोयल निवासी जादूगर रोड सिविल लाईन रुड़की व ख० न० 906 कुल रकबई 0.5340 है० में गुलशन कुमार पुत्र स्व० श्री गिरधारी लाल नि० सैनिक कालोनी व मनीष अरोड़ा पुत्र भगवान दास अरोड़ा निवासी दिल्ली (भागानुसार) तथा ख० न० 909, कुल रकबई 0.0860 है० में से रकबई 0.0599 है० भूमि, श्रेया तनेजा पत्नी यतिन तनेजा पुत्री राजेन्द्र मेहता नि० सैनिक कालोनी रुड़की का नाम बतौर सं० भूमिधर के रूप में अंकित है।

दिनांक 29 Jun 2024 को 1-श्रेया तनेजा पत्नि यतिन तनेजा 2-गुलशन कुमार पुत्र श्री गिरधारी लाल तनेजा, 3-नितिन तनेजा पुत्र गुलशन कुमार निवासीगण सैनिक कालोनी रुड़की परगना व तहसील रुड़की जिला हरिद्वार 4-धानिश अरोड़ा 5- मनीष अरोड़ा पुत्रगण भगवान दास, अरोड़ा निवासीगण दिल्ली के द्वारा ग्राम बेलड़ा मु० में स्थित खसरा न० 908 कुल रकबई 0.3070 है० ख० न० 906 कुल रकबई 0.5340 है० में से रकबई 0.4431 है० व ख० न० 909 कुल रकबई 0.086 है० में से रकबई 0.0599 है० कुल रकबा 0.8100 है० अर्थात् 8100 वर्ग मीटर भूमि को G-D- GOENKA PUBLIC School, opp- Montfort School- Haridwar Road, Roorkee run by smt. Sushma Rani Taneja Memorial Trust, Roorkee, Handwar को lease deed को क्रमांक 7215, दिनांक 29 Jun 2024 पर लीज डीड (किरायानामा) कर दिया गया था। उक्त Lease deed पत्रावली के साथ संलग्न है।

आख्या सादर सेवा में प्रेषित है।

महोदय,
रा०उ०नि० आख्या सादर सेवा
में प्रेषित।

21/06/25

रेखा चौधरी
राजस्व उपनिरीक्षक
क्षेत्र..... रुड़की.....
तहसील..... रुड़की.....

Malik
MANAGER

mk

Malik
PRINCIPAL

GD GOENKA PUBLIC SCHOOL, ROORKEE

9/5

GD GOENKA PUBLIC SCHOOL, ROORKEE
23/06/25
तहसीलदार
रुड़की